

The cohort studies by scientific theme/discipline





Subject areas

- Physical health
- Mental health
- Family and relationships
- Earnings and income
- Education, ability and cognitive measures
- Social care

...but there are many more



Birth	School years	Adult
Household composition Parental social class Obstetric history Smoking in pregnancy Pregnancy (problems, antenatal care) Labour (length, pain relief, problems) Birthweight, length	Household composition Parental social class Parental employment Financial circumstances Housing Health Cognitive tests Emotions and behaviour School Views and expectations Attainment	Household composition Employment Social class Income Housing Health (including biomarkers) Well-being and mental health Health-related behaviour Training and qualifications Basic skills Cognitive tests Views and expectations



Physical Health



Physical health measures	NCDS 58	BCS 70	NS 89	MCS 01
Self assessed general health	7, 11,16, 33, 44, 46, 50	5, 10, 16, 34, 42, 50	25	3, 5, 7, 11, 14
BMI, Height, Weight	7,11, 16, 23, 33, 42, 44, 50	10,16, 26, 30, 34, 42	25	3, 7, 11, 14, 17
Hospital Episodes Statistics:	England & Scotland ✓	England & Scotland ✓	England ✓	Scotland & Wales ✓
DNA /biomarkers	44 (available)	46 (genotyping)	Planned for age 32	14 (available)
Physical activity (leisure time)	11, 16, 23, 33, 42, 44, 50	5, 10, 16, 33, 42	20, 25	5, 7, 11, 14, 17
Diet related measures (intake, overeating)	7, 33, 42, 44, 62	10, 16, 30, 42, 46	25, 32	9 months, 3, 7, 11, 14, 17
Anthropometry (e.g. blood pressure, body fat, grip strength, vision, motor skills)	7, 11, 16, 44	46 + accelerometry	-	3, 7, 11 (10, 14 acceler)
Medical conditions/ *long term illness	0, 7, 11, 26, 23, 33, 42, 44, 46, 50, 55, 62	0, 5, 10, 16, 26, 30, 34, 38, 42, 46, 51	14*, 15*, 16*, 17*, 18*, 19*, 20*, 25*	9m, 3, 5, 7, 11, 14, 17
Drugs & alcohol consumption	16, 23, 33, 42, 44, 46, 50, 55,	16, 26, 34, 42	14, 15, 16, 17, 18, 19, 20, 25	11, 14, 17

Physical health measures	NCDS 58	BCS 70	NS 89	MCS 01
Self assessed general health	7, 11,16, 33, 44, 46, 50	5, 10, 16, 34, 42, 50	25	3, 5, 7, 11, 14
BMI, Height, Weight	7,11, 16, 23, 33, 42, 44, 50	10,16, 26, 30, 34, 42	25	3, 7, 11, 14, 17
Hospital Episodes Statistics:	England & Scotland ✓	England & Scotland ✓	England ✓	Scotland & Wales ✓
DNA /biomarkers	44 (available)	46 (genotyping)	Planned for age 32	14 (available)
Physical activity (leisure time)	11, 16, 23, 33, 42, 44, 50	5, 10, 16, 33, 42	20, 25	5, 7, 11, 14, 17
Diet related measures (intake, overeating)	7, 33, 42, 44, 62	10, 16, 30, 42, 46	25, 32	9 months, 3, 7, 11, 14, 17
Anthropometry (e.g. blood pressure, body fat, grip strength, vision, motor skills)	7, 11, 16, 44	46 + accelerometry	-	3, 7, 11 (10, 14 acceler)
Medical conditions/ *long term illness	0, 7, 11, 26, 23, 33, 42, 44, 46, 50, 55, 62	0, 5, 10, 16, 26, 30, 34, 38, 42, 46, 51	14*, 15*, 16*, 17*, 18*, 19*, 20*, 25*	9m, 3, 5, 7, 11, 14, 17
Drugs & alcohol consumption	16, 23, 33, 42, 44, 46, 50, 55,	16, 26, 34, 42	14, 15, 16, 17, 18, 19, 20, 25	11, 14, 17

Health measures in COVID-19 web surveys	NCDS 58	BCS 70	NS 89	MCS 01
COVID-19 antibodies N=10,442	n=3,222	n=2,547	n=1,267	CM Par n=1,140 n=2,266
Long COVID Symptoms Testing COVID presence	W3 W1, W2; W1, W2; W1, W2, W3			
Self-related general health	W1, W2, W3	W1, W2, W3	W1, W2, W3	W1, W2, W3
Long-standing health conditions	W1, W2, W3	W1, W2, W3	W1, W2, W3	W1, W2, W3
Disruption to medical appointments	W1, W2, W3	W1, W2, W3	W1, W2, W3	W1, W2, W3
Difficulty obtaining medication	W2, W3	W2, W3	W2, W3	W2, W3
Defined as vulnerable	W1, W2, W3	W1, W2, W3	W1, W2, W3	W1, W2, W3

Source of Information



- Fluharty, M., Villadsen, A., Kandola, A., Griffiths, L., O'Neill, D., Pinto Pereira, S., Timpson, N., Cooper, R., Bann, D.(2020). Physical activity across age and study: a guide to data in six CLOSER studies. London, UK: CLOSER.
- Rajatileka S, Groom A, Ring S. Harmonisation of strategies for exploitation of biological sample collections. London, UK: CLOSER; 2017.
- Ruiz M, Benzeval M, Kumari M. A guide to biomarker data in the CLOSER studies: A catalogue across the cohort and longitudinal studies. London, UK: CLOSER; 2017.
- Maddock, J., O'Neill, D., Robinson, S., Crozier, S., Jameson, K., Dodgeon, B., Suderman, M., Emmett, P., Gush, K., Burton, J., Payne, J., Kumari, M., & Hardy, R. (2020). A guide to the dietary data in eight CLOSER studies.
 London, UK: CLOSER.



Mental Health



Mental health – all cohorts

- Bristol Social Adjustment Guide (BSAG)
- Conners teachers Hyperactivity Rating Scale (Conn)
- Emotionally Activity Sociability Scale (EAS)
- General Health Questionnaire (12-item version) (GHQ-12)
- Malaise inventory (MAL)
- Mood and feelings questionnaire (MFQ)
- Rutter Behavioural Scale (RUT)
- Strengths and difficulty questionnaire (SDQ)
- Short Form Health Survey (SF-36)
- Kessler Scale (4 item) (K4)
- Child Development Scale (combination of Rutter and Connor) (CDS)
- The Warwick-Edinburgh Mental Wellbeing Scale (WEMWEBS)



Malaise



A nine-item Malaise Inventory: a measure of psychological distress

- Do you feel tired most of the time?
- Do you often feel miserable or depressed?
- Do you often get worried about things?
- Do you often get into a violent rage?
- Do you often suddenly become scared for no reason?
- Are you easily upset or irritated?
- Are you constantly keyed up and jittery?
- Does every little thing get on your nerves?
- Does your heart often race like mad?

Mental Health measure	NCDS 58	BCS 70	NS 89	MCS 01
BSAG	7			
Conn		10, 16,		
EAS				
GHQ-12	42, 50	16, 30	15, 17, 25, 32	
MAL	23, 33, 42	16, 26, 30, 34, 42, 46		
MFQ				14
RUT	7, 11, 16, 16	5, 10, 16,		
SDQ				3, 5, 7, 7, 11, 11, 14,
SF-36	50	46		
K4		34		17
CDS		10		
WEMWEBS				17

Parent, teacher and self-report

COVID-19 sweeps: All Cohorts



- Patient Health Questionnaire-2 (PHQ-2):
- Over the <u>last 2 weeks</u>, how often have you been bothered by the following problems?
 - Little interest or pleasure in doing things
 - Feeling down, depressed or hopeless
- Generalised-Anxiety Disorder (GAD-2)
- Over the <u>last 2 weeks</u>, how often have you been bothered by the following problems?
 - Feeling nervous, anxious or on edge
 - Not being able to stop or control worrying
 - Not at all Nearly every day

Source of information



McElroy, E., Villadsen, A., Patalay, P., Goodman, A., Richards, M.,
 Northstone, K., Fearon, P., Tibber, M., Gondek, D., & Ploubidis, G.B.
 (2020). Harmonisation and Measurement Properties of Mental Health
 Measures in Six British Cohorts. London, UK: CLOSER.



Family and Relationships





Family and relationships

- Who is in the household
- Relationship to cohort member
- Age /number of siblings
- Biological, step, adoptive parents
- Age of parents when the cohort member was born
- Fertility intentions
- Pregnancy history
- Partnership formation, cohabitation, marriage, divorce, dissolution, formation



Education, ability and cognitive measures



NCDS 58	BCS 70	NS 89	MCS 01
			NPD
		NPD	NPD
		NPD	
23, 42	32	NPD & self report	NPD & self report
23, 42	26, 32, 34, 42	NPD & self report	NPD & self report
16	16	14, 15, 16, 17	11, 14
		Individualised Learning Record	
42, 46	38, 42	20, 25	17
23,33	42	20, 25	17
42	38,	20, 25	-
	23, 42 23, 42 16 42, 46 23,33	23, 42 32 23, 42 26, 32, 34, 42 16 16 42, 46 38, 42 23,33 42	NPD NPD 23, 42 32 NPD & self report 23, 42 26, 32, 34, 42 NPD & self report 16 16 16 14, 15, 16, 17 Individualised Learning Record 42, 46 38, 42 20, 25 23,33 42 20, 25

Cognitive ability in childhood



- British Ability Scales II /Bracken school readiness (BSRA-R)
- National Foundation for Education Research (NFER) Progress in Maths
- Cambridge Neuropsychological Test Automated Battery (CANTAB)
- Applied Psychology Unit (APU) Vocab test
- Number Analogies (GL Assessment)
- Schonell Reading Test; English Picture Vocabulary Test; Copying Designs Test; Human Figure Drawing; Complete a Profile Test (Schonell etc).
- Southgate Group Reading Test; Problem Arithmetic Test (NFER devised);
 Copying Designs Test; Human Figure Drawing (Southgate etc)
- General ability test; reading; maths and copying design test (GAT)
- Reading, Maths, Language, Dictation, BAS (Reading +)

(Main) cognitive ability/skill	NCDS 58	BCS 70	NS 89	MCS 01
Developmental milestones		22 months*, 42 months*		9 months
School readiness (BSRA-R)				3
Verbal reasoning	11	10		11
Non-verbal reasoning	11	10,16		5
Verbal skills (i.e. reading, comprehension, vocabulary, literacy)	7,11,16,37*	5,10,16,21*,34,42		3,5,7,14
Mathematics and numeracy	7,11,16,37*	10,16,21*,34		7,17
Visual/spatial processing	7	5		5,7
Decision making				11,14
Memory (short-term, long-term, spatial working)	50	10,46		11
Processing speed	50	46		

^{*} sub-sample



Source of information

Moulton, V., McElroy, E., Richards, M., Fitzsimons, E., Northstone, K., Conti, G., Ploubidis, G.B., Sullivan, A., O'Neill, D. (2020). A guide to the cognitive measures in five British birth cohort studies. London, UK: CLOSER.



Earnings and income



Earnings and Income	NCDS 58	BCS 70	NS 89	MCS 01
Earnings from work	7, 11, 16, 23, 33, 42, 46, 50	5, 10, 16, 26, 30, 34, 38, 42	20, 25, 32	3, 7, 11, 14, 17, 21
Income (investments, income support, benefits, etc.)	16, 33, 42, 46, 50, 55	10, 16, 34, 38, 42	25, 32	3, 7, 11, 14, 17, 21
Occupation	11, 33, 42, 46, 50, 55	10, 34, 38, 42	25, 32	3, 7, 11, 14, 17, 21
Social mobility (generational analysis)	✓	✓	✓	✓
Wealth (actual): Housing Financial	55	42	-	11,14
SavingsDebt	23,33,50	34,42,46 42,46	- 25	7,11,14 7,11,14



Social Care Variables



Social care/caring responsibility	NCDS 58	BCS 70	NS 89	MCS 01
Ever been in care	7, 11, 16, 23, 33	5, 10	14	✓
Age of being in care		10	14	9m,3, 5, 7, 11, 20
Age left care	23		14	
Duration		10	14	9m,3, 5, 7, 11, 20
Frequency		10	14	
Reason		10	14	3, 5, 7, 11
Own child in care	33		25	
Caring responsibilities of parents /family members/other	50		16, 17, 18, 19,	20
Contact with social workers			14, 15, 16, 17	

COVID-19 Sweeps



COVID-19 Sweeps: all of CLS cohorts (MCS, NS, BCS, NCDS, and 1946)

- Did you need help caring for yourself?
- Whether help received?
- Whether needed help caring for others in your household
- Whether received it




How to search these resources




SEARCH Closer Discovery











Study: 1970 British Cohort Study / Sweep: Age 10 Survey (1980) / Questionnaire: BCS70 Age 10 Parental Interview

CENTRE FOR LONGITUDINAL STUDIES

Alternative methods for searching

- Or questionnaires (UK Data Service or <u>CLS website</u>: Our Studies; Sweeps; Documentation; Questionnaires)
- Or download the actual datasets and search the variables (<u>UK</u> <u>Data Service</u>)
- Descriptions of variables in published papers



Questions?

